

YG60 60°Digital Gloss Meter Glossmeter For Paint Marble

YG60 60°Digital Gloss Meter Gloss meter For Paint Marble Product Features:

- 1. Elegant Design combined with aesthetics and ergonomics;
- 2. With auto-calibration function;
- 3. Meet requirements of JJG696;
- 4. Large storage to save over 35000 data;
- 5. Auto Power-off within optional 30-120 seconds;
- 6. Comply to ISO2813, ASTM523, GB/T9754;
- 7. With PC software for quality report, more extend functions;
- 8. With multi working modes and multi-functions for most customers' requirements.



+92-21-35001798	~
	(III) www.technocratics.com.pk
+92-333-0297007	technoratics@gmail.com
+92-321-2202241	S info@technocratics.com.pk
+92-300-3972448	Info@technocratics.com.pr
	re Colony Mor, Main Korangi

Branch Office Lahore

 +92-301-9228811, +92-334-6600557
 L-32 Main Street, Al-Nafy Homes, Ring Road, Near WAPDA Office, Harbanspura, LAHORE
 0333-0297007, 0321-2202241

Branch Office Islamabad

- S +92 334 6600557
- O Awan Plaza River Garden, Islamabad Express Highway, Islamabd
- 0333-0297007, 0321-2202241





Technical Data

Model	YG60 60°Accurate Gloss Meter
Measuring Angle	60°
Measurement Range	60°: 0-1000GU
Division Value	0.1GU
Measuring Modes	Basic mode; Statistic mode; Continuous mode; QC mode
Measuring Time	0.5S
Repeatability	0~100GU : ±0.2GU; 100~2000GU : ±0.2%GU
Accurate	Conform with JJG696 requirements of gloss meter
Head Office Karachi +92-21-35001798 www.technocratics.com.pk	Branch Office Lahore Branch Office Islamabad \$ +92-301-9228811, +92-334-6600557 \$ +92 334 6600557

0321-2202241

Awan Plaza River Garden,
 Islamabad Express Highway, Islamabd

0333-0297007, 0321-2202241

+92-301-9228811, +92-334-6600557

0333-0297007,

Q L-32 Main Street, Al-Nafy Homes, Ring Road, Near WAPDA Office, Harbanspura, LAHORE





TECHNOCRATICS (Pvt) Ltd. ۵ ک

ISO 9001:2015 Certified Company NTN # A351529 GST # 3277876261645

Auto Power-off Time	Within 30s-120s	
Long-time Calibration	Automatically check and made the calibration	
Language	Chinese & English	
Storage	35000(Basic mode & Statistic mode : 1500; Continuous mode : 10000; QC mode: 10000)	
Display	2.3 inch white and black screen	
Size	160*52*84mm	
Weight	About 300g	
Power Supply	1pc dry-cell battery(can measure 10000 times) or use US B Charge	
Interface	USB	
PC Software	GQC6 QC software can printing testing report and with more extended functions	
Operation Temperature Range	0-40°C(32-104° F)	
Storage Temperature Range	-20-50°C(-4-122° F)	
Humidity Range	< 85% RH, without condensation	
Standard Accessories	USB cable, user manual, calibration plate, QC software	
Optional Accessories	Miniature printer, Bluetooth	
Notification: the technical parameter is only for reference		

+92-21-35001798 +92-333-0297007 +92-321-2202241	www.technocratics.com.pk
+92-300-3972448 Plot No. 763, Futu	info@technocratics.com.pl re Colony Mor, Main Korangi ad, Karachi-75120

Branch Office Lahore

+92-301-9228811, +92-334-6600557 L-32 Main Street, Al-Nafy Homes, Ring Road, Near WAPDA Office, Harbanspura, LAHORE 0333-0297007, 0321-2202241

Branch Office Islamabad +92 334 6600557

Awan Plaza River Garden,
 Islamabad Express Highway, Islamabd

0333-0297007, 0321-2202241